This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1-9. (canceled)
- 10. (currently amended) A synthetic elastomeric polyisoprene article having a tensile of greater than about 3000 psi as measured in accordance with ASTM D412, said article being prepared by a process comprising the steps of:
- a) preparing a <u>composition comprising a compounded polyisoprene</u> latex <u>formulated with composition containing</u> an accelerator composition and a stabilizer, said accelerator[[-]]composition comprising a dithiocarbamate compound, a thiazole compound and a guanidine compound[[,]] and a stabilizer;
 - b) dipping a former into said compounded latex composition; and
 - c) curing said compounded latex composition on said former.
- 11. (original) The article of claim 10, wherein the article is a glove.
- 12. (original) The article of claim 10, wherein the article is a condom.
- 13. (original) The article of claim 10, wherein the article is a probe cover.
- 14. (original) The article of claim 10 wherein the article is a catheter.

15. (original) The article of claim 10, wherein said accelerator composition comprises: zinc diethyldithiocarbamate; zinc 2-mercaptobenzothiazole; and diphenyl guanidine.

- 16. (original) The article of claim 10, wherein said stabilizer comprises a milk protein salt.
- 17. (original) The article of claim 16, wherein said stabilizer comprises sodium caseinate.
- 18. (canceled)
- 19. (withdrawn) A polyisoprene latex composition comprising:
 - a dithiocarbamate compound;
 - a thiazole compound;
 - a guanidine compound; and
 - a stabilizer.
- 20. (withdrawn) The latex composition of claim 19 wherein the latex composition comprises:

zinc diethyldithiocarbamate;

zinc 2-mercaptobenzothiazole;

diphenyl guanidine;

and sodium caseinate.

21. (canceled)

- 22. (currently amended) A glove composed of polyisoprene and having a tensile strength of greater than 3000 psi as measured in accordance with ASTM D412, said glove being prepared from a polyisoprene latex <u>formulated with an accelerator composition composition</u> comprising a dithiocarbamate compound, a thiazole compound, and a guanidine compound.
- 23. (currently amended) The glove of claim [[18]]22, wherein said polyisoprene latex composition is further formulated with comprises sodium caseinate a milk protein salt.
- 24. (currently amended) The glove of claim [[19]]23, wherein said <u>formulated</u> latex composition is <u>stable to storage</u> <u>stored</u> for up to <u>at least</u> about 7 days <u>prior to its use in the dipping and curing process</u>.
- 25. (new) The glove of claim 23, wherein said milk protein salt is sodium caseinate.
- 26. (new) The article of claim 10, wherein said accelerator composition comprises:

- a) a dithiocarbamate compound, in an amount ranging from 0.50 phr to about 1.00 phr per 100.0 phr polyisoprene of the compounded latex composition;
- b) a thiazole compound, in an amount ranging from 0.50 phr to about 1.00 phr per 100.0 phr polyisoprene of the compounded latex composition; and
- c) a guanidine compound, in an amount ranging from 0.50 phr to about 1.00 phr per 100.0 phr polyisoprene of the compounded latex composition.
- 27. (new) A synthetic elastomeric article, said article being prepared by a process comprising the steps of:
- a) preparing a composition comprising a polyisoprene latex formulated with an accelerator composition and a stabilizer, said accelerator composition comprising a dithiocarbamate compound, a thiazole compound and a guanidine compound;
 - b) dipping a former into said compounded latex composition; and
 - c) curing said compounded latex composition on said former.
- 28. (new) A glove composed of polyisoprene, said glove being prepared from a polyisoprene latex formulated with an accelerator composition comprising a dithiocarbamate compound, a thiazole compound, and a guanidine compound.